INDEX

Page

Abortion—
bovine, infections, immunology, studies. By J. M. Buck and G. T. Creech..... 607-642
infections—
infection through injection of infected material..... 620, 621
of cattle, immunology, studies and experiments..... 607-642
Acala cotton—
growing and characters, comparisons.. 938-952, 954
spacing experiments in Southern California..... 1081-1093
Acid, production by *Bacillus larvae*..... 153-155
Acromania, cotton disease..... 803-828
Aecidiospores—
expulsion by the mayapple rust..... 923-926
uninucleated, in *Cacoma nitens*..... 1045-1058
Agglutination, tests for infectious abortion in cattle..... 613-614, 617-620
Alabama, climate, comparison with Japan.. 244-253
Alaska spring wheat, crosses with *vulgare* species, studies of results..... 1018-1031
Aldous, A. E., and Shantz, H. L.: Types of Vegetation in the Semiarid Portion of the United States..... 99-128
Alfalfa, wild, indicator of land value..... 101, 103, 117, 119
Alfileria, susceptibility to curly-top..... 314
Alimentary canal, bee larva..... 1184-1188, 1206
Alkali salts, Tempe, Ariz., chemical analyses..... 726
Alkaloids, insecticidal value..... 400
Allen, Ruth F., and Mackie, William W.: The Resistance of Oat Varieties to Stem Rust..... 705-720
Allison, F. E.—
Chemical and Biological Studies with Cyanamid and Some of Its Transformation Products..... 37-69
Greenhouse Experiments with Atmospheric Nitrogen Fertilizers and Related Compounds..... 971-976
The Effect of Cyanamid and Related Compounds on the Number of Microorganisms..... 1159-1166
The Nitrification of Phosphorus Nitride.. 1117-1118
Alsberg, Carl L., and Schwartze, Erich W.: Pharmacology of Gossypol..... 191-197
Relation Between Toxicity of Cottonseed and its Gossypol Content..... 173-189
Amby wheat, crosses with emmer species, studies..... 1019-1031
Ammonia—
determination in nitrogenous materials.. 527-539
nitrogen, determination method..... 41-42
Ammonium sulphate—
effect on numbers of bacteria in soil..... 1160, 1161
nitrification rates, comparisons..... 43, 54-55, 58-60, 65
Analysis—
methods for meats..... 339-341
rye culms, normal and brittle..... 170
Anatomy, apple maggot..... 1-36
Anchusa spp., hosts of *Puccinia dispersa*, and infection methods..... 1119-1124
Ancylostoma caninum, occurrence in foxes.... 331
Anderson, M. S.: The Heat of Wetting of Soil Colloids..... 927-935
Angoumois grain moth, wheat infestation... 1107, 1108, 1115
Animals—
immunization experiments for bovine abortion, detailed records..... 621-642
meat, edible viscera..... 339-346
undergoing gossypol poisoning, metabolism..... 192-194
Antelope brush, indicator of land value..... 109, 118, 122-126
Anthelmintic experiments with foxes..... 331-337

Page

Anthelmintics, literature..... 337
Antimony, insecticidal value..... 395, 396
Apelenchus ritzemabosi, description and occurrence on chrysanthemums..... 1051-1062
Apple—
blackrot—
fungus..... 583-488
review of work..... 589-590
maggot, anatomy and metamorphosis..... 1-36
peels, quercetin isolation and identification..... 1243-1245
Arizona—
cottons—
comparison..... 938-954
leaf-tissue fluids, chlorid content determination..... 695-704
Gila Valley, physiography, soils, and vegetation..... 724-725, 728-730
Arkansas, strawberry leather rot..... 369-371
Arlington Experiment Farm, wheat-rye hybrids..... 567-568, 573-575
Arrowweed, association with saltbush in Southwestern desert soils..... 770-772, 795-799, 800
Ascarids, control in foxes..... 334-337
Ascaris—
horse, toxicity..... 577-582
lumbricoides, toxicity..... 577-582
sensitization..... 577-582
Ascaron, active principle of Ascaris..... 579
Ascigerous stage of *Fusarium moniliforme*, and synonomy..... 909-922
Ash—
constituents in meats..... 340
lumber, steaming for control of powder-post beetle..... 1033-1038
Aspen, indicator of land value..... 116, 118, 123-125
Atriplex—
fasciculata, on southwestern desert soils..... 778
lentiformis, indicator of land value..... 113, 122
Avena spp., inoculation with stem rust, tests of resistance..... 706-709

Bacilli, causes of foulbrood..... 129-168
Bacillus—
alvei, discovery and relation to foulbrood.. 131-133
aromatic, new species from dairy wastes.. 275-276
brandenburgiensis, same as *Bacillus larvae*.. 132, 133
larvae—
biochemical reactions, supplemental studies..... 150-157
growth in cultures, relation to sugar concentration..... 135-141
Back, E. A., and Cotton R. T.—
Effect of Fumigation Upon Heating of Grain Caused by Insects..... 1103-1116
Effective Use of Hydrocyanic-acid Gas in the Protection of Chick-peas Warehoused in 240-Pound Sacks..... 649-660
Relative Resistance of the Rice Weevil and the Granary Weevil to High and Low Temperatures..... 1043-1044
Bacteria—
cottonseed samples, effect on germination.. 286
soil, numbers, effect of cyanamid and related compounds..... 1159-1166
Bacterial leafspot of Delphinium..... 261-270
Bacterium—
abortus cultures, use as vaccine to prevent abortion..... 609-620
delphinii, morphology, cultural characters, and description..... 264-269
flaccumfaciens, cause of bean wilt..... 490
phaseoli, cause of bean blight..... 490
sanguinarium, morphology..... 75-76
translucens, cause of bacterial blight of rye. 1039
Barberry, infection with *Puccinia graminis poae*, and spread of rust..... 541-542, 547
Barium—
carbonate, insecticidal value..... 395, 396
oxalate, insectidal value..... 395-396

Page

Barley, leaf rust, *Puccinia anomala*, aecial stages 1119–1126
Baston, G. H.: Studies of Wheat in Storage, and Heat Caused by Insects 1103–1104
Bean—
disease, seed-borne, effect of moisture 489–497
foliage burning, insecticides testing 402
weevil, four-spotted, control, in chick-peas by hydrocyanic-acid gas 649–660
weevils, fumigation 347–356
Beans—
fertilizer experiments 972–974
heating by insects, notes 1105, 1114
navy, growing and yields, in seed-soaking experiments 490–496
Bee—
diseases, literature cited 165–168
larva, morphology 1167–1208
larvae, effects of bacterial metabolism 163–164, 165
Bees—
brood—
diseases, relation to life history of bee larvae 130–135, 159–164
food, composition 141–142
foulbrood, causes and development 130–135
larvae—
composition at different ages 142–144
feeding, cocoon-spinning, and quiescent stages 159–163
life history relation to brood diseases 130–135, 159–164
race, sex, and age, relation to foulbrood ... 130–132
Beetle—
lady, squash, insecticides 401
powder post, temperatures fatal, determination 1033–1038
Beetles, Japanese, insecticides 396–402
Beets—
age of plants, relation to curly-top susceptibility 313–314
growth and weight, effect of curly-top ... 303–304
inoculation to produce curly-top 304–306
losses from curly-top in California, 1917–1920 301
planting early to avoid leafhoppers 316
resistant strains to curly-top disease 317
sugar, curly-top disease, studies 297–320
Bibliography—
bee diseases 165–168
cereal rusts 718–719
corn ear molds 921–922
cotton growth diseases 897
curly-top of beets 318–319
cyanamid 68–69
honeybee larva 1208–1212
insect anatomy and metamorphosis 33–36
plant growth factors 900–907
sex studies of fowls 221–224
sweet corn 440–443
Biguanid—
nitrate, effect on numbers of bacteria in soil 1165, 1166
nitrification in soils 40, 65
Binding power, soil colloids, factors influencing 499–513
Black spot, delphinium. *See* Leafspot, bacterial, of Delphinium.
Blackberry, orange rust, uninucleated aecidiospores 1045–1058
Blackrot, apple—
fungus, comparison with fungus of currant cane blight 596–597
fungus on apple and currant 583–588
review of work 589–590
Blemishes, orange, relation to quality 521
Blight—
bacterial, of rye 1039–1040
bean, cause and comparison with wilt 490
Blister rust infection, survey, on pines at Kittery Point, Me 1253–1258
Blossoming, effect of varying length of day 447–453
Blue mold rot, citrus fruits, prevention, borax treatment 961–968
Bolls, cotton—
dwarfing, effects of crazy-top and other diseases 818–819
shedding and development, comparisons . 943–952

Page

Bones, skull, meadow mouse, description and variation 1001–1009, 1014
Borax, use in treatment of citrus fruits for the prevention of blue mold rot 961–968
Bordeaux spray, use against pecan scab . 326–327, 329
Botryosphaeria ribis—
association with *Physalospora malorum* on currant 584
chromogena on apple and currant 594–596
comparison with *Physalospora malorum* . 596–597
life history 590
on currant and apple 589–598
Botrytis brown rot of strawberries, cause and description 646, 647, 648
Bots, ox, observations 271–274
Bowman, John J., and Fulton, Harry R.: Preliminary Results with the Borax Treatment of Citrus Fruits for the Prevention of Blue Mold Rot 961–968
Brachysm, cotton growth disorder 806–807
Braham, J. M.: Chemical and Biological Studies with Cyanamid and Some of its Transformation Products 37–69
Brain, bee larva, description 1172–1176, 1205
Brains, composition 344
Bran, heating by *Silvanus cassiae* 1105
Branching, abnormal, of cotton, effects of crazy-top and other diseases 813–814
Braun, Harry: A Gradient of Permeability to Iodin in Wheat Seed Coats 225–226
Breeding—
chicken experimental study of sex ratio ... 200–220
corn for improvement 435–436
Brewbaker, H. E.: Brittle Straw and Other Abnormalities in Rye 169–172
Briquettes, colloids, making, drying, and testing 501–511
Brittle straw, rye, and other abnormalities . 169–172
Brood diseases, bee, relation to life history of bee larvae 130–135, 159–164
Brooks, Fred E., and Cotton, R. T.: The Cambium Curculio *Conotrachelus anaglypticus* 377–386
Brotherton, Wilber, Jr.: Gamete Production in Certain Crosses with "Rogues" in Peas 1247–1252
Brown rot of fruits in America, fungus causing 955–960
Bruchids, control in chick-peas by fumigation 649–660
Bruchus—
obtectus, fumigation methods and results. 347–356
quadrimaculatus—
control in chick-peas by hydrocyanic-acid gas 649–660
fumigation, methods and results 347–356
See Bean weevil, four-spotted.
Bruchus spp., heat of grain, notes 1105, 1106, 1109–1112, 1114–1115
Brush varieties, indicator of land value 101, 108, 109, 114, 115, 117–127
Bryan, Mary K.: Bacterial Leafspot of Delphinium 261–270
Buck, J. M., and Creech, G. T.: Studies Relating to the Immunology of Bovine Infectious Abortion 607–642
Buckwheat, shrub, indicator of land value 112, 118, 121
Bud—
abortion in Pima cotton, non-inheritance . 2041–1042
selection, relation to quality of crop in the Washington navel orange 521–526
variations, citrus, progeny tests and performance records 522–525
Buds, citrus, progeny propagation and performance records 523–525
Buffalo grass, indicator or land value 102, 103, 117–121, 124
Bulb rot, Fusarium, of onion and relation to environment 683–694
Cabbage—
clubroot infection, relation to temperature and moisture 553–557
"hilling up" to control clubroot 557–558
Cacti, indicators of land value 112, 118, 121, 122, 127

Page

Cacoma nitens—
occurrence without spermogonia..... 1047-1048
uninucleated aecidiospores and associated phenomena..... 1045-1058
See also Rust, orange.
Calandrinia menziesii, susceptibility to curly-top..... 314
Calcium—
compounds, effect on numbers of bacteria in soil..... 1163, 1164-1165
effect on orange-tree growth and composition..... 278, 281, 283
nitrate, effect on wheat growth..... 387-393
oxid, effect on numbers of bacteria in soil.. 1163, 1164-1165
California—
beet—
disease. *See* curly-top.
leafhopper and curly-top disease..... 279-320
climate, comparison with Alabama and Japan..... 249-252
Coachella Valley, physiography, soils, and vegetation..... 723, 725-727, 763
Southern, Acala cotton, spacing..... 1081-1093
Calliphora larva embryology, notes..... 6, 7, 8, 10, 20
Cambium curculio, *Conotrachelus anaglypticus*..... 377-386
Campbell, F. L., and Moore, William: Studies on Nonarsenical Stomach-Poison Insecticides..... 395-402
Cane—
blight fungus of currant, comparison with blackrot of apple..... 596-597
sugar, root disease, relation to snails..... 969-970
Cane-blight fungus of currant, on currant and apple..... 584, 589-598
Canker, citrus, susceptibility of citrus species, hybrids, and relatives..... 227-239
Canning, sweet corn, relative merits of varieties, etc..... 403-443
Carbon—
disulphid, use in control of bean weevils. 347-355
tetrachlorid, anthelmintic efficiency in treatment of foxes..... 331-337
Carpellate hemp plant, description..... 1068
Carsner, Eubanks, and Stahl, C. F.: Studies on Curly-top Disease of the Sugar Beet.. 297-320
Caryl, R. E.: Bud Selection as Related to Quality of Crop in the Washington Navel Orange..... 521-526
Casimiroa edulis, susceptibility to citrus canker..... 227
Castle, W. E., formula for estimating genetic factors..... 1098
Caterpillar, tent, insecticides testing..... 395-402
Cats, feeding with gossypol..... 191-196
Cats-claw, indicator of land value..... 112, 122
Cattle—
testing for abortion infection.... 613-614, 617-620
vaccination, control of infectious abortion 609-620
Ceanothus cuneatus, indicator of land value..... 116, 118, 120, 123, 126
Cecil clay loam subsoil, colloids from, breaking strength..... 511, 512
Cedar, reproduction after logging.... 1152-1154, 1157
Cells—
excretory, bee larva..... 1202
sap density, relation to environmental conditions in the Wasatch Mountains, Utah 845-907
Cereal rusts, physiological races, investigations and discoveries..... 705
Chaetospermum glutinosum, susceptibility to citrus canker..... 228
Chamiso, indicator of land value..... 101, 113, 116, 118, 121, 122, 125
Chaparral, indicator of land value..... 115, 119, 120, 125, 126
Chemicals, use on citrus fruits to prevent rot..... 961-963
Chenopodium spp., susceptibility to curly-top..... 314-315
Chickens—
breeding, experimental study of sex ratio. 200-220
flesh, vitamin B content, studies and experiments..... 463, 466-467, 468-469, 472
infection with fowl typhoid, studies and post-mortem findings..... 76-77

Chickens—Continued. Page
sex ratio—
experimental study and discussion..... 200-220
relation to antecedent egg production.. 199-224
Chick-peas—
heating caused by insect infestation..... 1106, 1109-1112, 1113, 1115
protection by hydrocyanic-acid gas fumigation..... 649-660
See also Peas, chick.
Chlorid, content of leaf-tissue fluids of cottons, Egyptian and Upland..... 695-704
Chlorophyll deficiency in rye..... 169
Chromosomes—
literature citations..... 680-681
maize and maize relatives..... 673-682
number in wheat, relation to morphological characters of hybrids..... 1028-1029
Chrysanthemum nema, *Apelenchus ritzemabosi*, description..... 1061-1062
Ciboria fructicola, same as *Sclerotinia*..... 956, 957
Cicer arietinum. *See* Chick-peas; Peas, chick.
Citrus—
bud variations, progeny tests and performance records..... 522-525
fruits, blue mold rot prevention, results of borax treatment..... 961-968
growth in spring, required temperatures and relation to scab..... 243-253
hybrids, susceptibility to citrus canker 230-231, 235-239
plants, scab infection, conditions essential 243-253
scab—
cause, history, and distribution..... 241-242
relation to environmental factors..... 241-254
yearly prevalence, conditions determining..... 249-250
susceptibility to citrus canker..... 227-239
wild relatives, susceptibility to citrus canker..... 227-229, 232
Cladosporium citri, cause of citrus scab, environmental factors..... 241-254
Clarification methods in sugar determination, comparison..... 481-483
Clear-cut method of cutting Douglas fir, effect on reproduction..... 1233-1235, 1239-1241
Clearings, forest, effect on conditions of site 1149-1151
Club-leaf, cotton growth disorder..... 810
Clubroot—
effect of soil temperature and soil moisture 549-552
literature relating to..... 549-552, 559-561
Clustering, cotton growth disorder..... 806-807
Coachella Valley, California, cotton spacing.. 1081-1093
Coix lachryma jobi, pollen counts and chromosomes..... 677
Coleogyne, indicator of land value..... 110, 118, 121, 126, 127
Colloids—
literature cited..... 513
soil—
binding power, determination..... 506-508
binding power, factors influencing..... 499-513
binding power of different kinds..... 511
heat of wetting..... 927-935
Color—
picramate, dilution, effect..... 481
standards for sugar determination method.. 479-480, 486
Coloration, meadow mice..... 980-982, 1014
Colorimeter readings, values, factors for obtaining..... 483-484
Community plants for hot-water treatment of grain..... 79-80
Composite plants, subject to nematode galls.. 474
Compounds, nitrogenous, effect on bacteria in soils..... 1159-1162
Conifer timber, indicator of land value..... 116, 120, 123-126
Conotrahelus—
anaglypticus—
distribution, description, life history, and control..... 377-386
See also Curculio, Cambium.
spp., literature concerning..... 386
Cook, O. F.: Acromania, or "Crazy-top," a Growth Disorder of Cotton..... 803-823
Copper, determination in meats..... 340

Page

Corethra larvae, notes 7, 10, 12
Corn—
  best canning stage 434
  canning—
    in quality tests, method 431
    literature, review and list 403–406, 440–443
    quality tests 431–433
  characters, correlation 1095–1102
  chromosome—
    number 673, 678–679
    number, comparison with related plants 673–682
  ear molds, literature citations 921–922
  ears, development in different varieties 412–414
  field, comparison with sweet corn in composition and canning value 425, 427, 428, 432, 435, 438
  hybrids, characters, inheritance and correlation 1097–1101
  injury by fungus *Fusarium moniliforme* 909, 910, 918
  kernel, toughness tests 414–422, 432, 438
  maturity, relation to quality of canned product 409–440
  silking period aid in determining maturity 409–411
  sugar content, relation to sweetness 434
  sweet—
    chemical studies, analysis methods, and discussion of results 418–431
    varieties for canning, relative merits, etc 403–443
    varieties, improvement by breeding 435–436
  varieties, analyses 424–425
  See also Maize.
Cornstarch juice, sugar determination, picric acid method 479–488

Cotton, R. T., and Back, E. A.:
  Effect of Fumigation Upon Heating of Grain Caused by Insects 1103–1116
  Effective Use of Hydrocyanic-acid Gas in the Protection of Chick-peas Warehoused in 240-Pound Sacks 649–660
  Relative Resistance of the Rice Weevil and the Granary Weevil to High and Low Temperatures 1043–1044

Cotton, R. T., and Brooks, Fred E.: The Cambium Curculio *Conotrachelus anaglypticus* 377–386

Cotton—
  abnormal branching, effects of crazy-top and other diseases 813–814
  Acala, spacing experiments in Southern California 1081–1093
  acromania or "crazy-top" 803–828
  bolls—
    injury by cambium curculio 379, 385
    shedding and development, comparison 943–954
  breeding and growth disorders 824
  Egyptian, chlorid content of leaf, comparison with Upland cotton 695–704
  fiber, salt content 293–295
  flowers and bolls, comparison of Pima with Upland 941–952
  growing on saline soils, relation to chlorid content 696, 701
  growth, irregularities caused by crazy-top and other diseases 813–819
  heredity, relation to growth disorders 822–823
  irrigated, spacing experiments in southern California, 1922 and 1923 1081–1093
  lint and seed characters, comparisons 950–952
  overwintering, study for disease spread 825
  Pima—
    comparison with Upland varieties in Arizona 938–954
    terminal bud abortion, noninheritance 1041–1042
  plants, dwarfing, effects of crazy-top and other diseases 813
  Upland—
    chlorid content of leaf, comparison with Egyptian cotton 695–704
    varieties, comparison with Pima cotton in Arizona 938–954
  varieties—
    susceptibility to crazy-top and other growth disorders 821–822
    variation of gossypol content in seed 177–178, 187

Page

Cotton—Continued.
  yield, comparison of Pima and Upland varieties 948–950
  yields in spacing experiments 1082–1093
Cottons, leaf tissue, chlorid content, comparison of Egyptian and Upland 695–704
Cottonseed—
  feeding tests, experiments with gossypol 173–198
  field germination, experiments 288–290
  germination 285–292
  gossypol content, variation with locality 173
  kernels, gossypol extraction and preparation 173–174
  laboratory germination, reports 290
  poisoning, feeding experiments 173–198
  "sensitive" samples, reasons for poor germination 286–291
  toxicity, relation to gossypol content 173–189
Couch, J. F.: Ascaris Sensitization 577–582
Coville, Frederick V.: Spiny-fruited Gooseberry from Florida 71–74
Cowpeas—
  heating by insects 1114
  silage, composition 258
  weevil infestation and fumigation 347–356
Cows, immunization experiments for bovine abortion, detailed records 633–635, 641–642
Craig, W. T., and Love, H. H.:
  The Genetic Relation Between *Triticum dicoccum dicoccoides* and a Similar Morphological Type Produced Synthetically 515–520
  The Inheritance of Pubescent Nodes in a Cross Between Two Varieties of Wheat 841–844
Cram, Eloise B.: A New Nematode, *Cylindropharynx ornata*, from the Zebra, with Keys to Related Nematode Parasites of the Equidae 661–672
Craterostomum spp., parasites of the Equidae 666, 668
Crazy-top, cotton—
  diagnosis 812
  disease 803–828
  irregular occurrence and different conditions of soil 819–821
  symptoms and effects, comparison with other disorders 813–819
Creatinin, determination method 340
Creech, G. T., and Buck, J. M.: Studies Relating to the Immunology of Bovine Infectious Abortion 607–642
Creosote bush, association on Southwestern desert soils 733–745, 795–799
Creosotebush, indicator of land value 111, 112, 118, 120–127
Crepis spp., seed infestation with nematodes 474, 475
Cross-breeding, wheat, for velvet nodes 841–844
Crucifers, clubroot disease, effect of soil temperature and soil moisture 549–562
Cryptolestes pusillus heating of grain 1105, 1115
Culpepper, C. W., and Magoon, C. A.: Studies Upon the Relative Merits of Sweet Corn Varieties for Canning, etc 403–443
Culture media for *Bacillus larvae*, and use 135–141
Cultures, *Bacterium abortus*, use as vaccine to immunize cattle 609–620
Curculio—
  cambium 377–386
  cambium, enemies and control methods 385, 386
Curly-leaf, beet. *See* Curly-top.
Curly-top—
  beet—
    distribution and the beet leafhopper 299–300
    economic importance 300–302
  causative organism 312
  disease—
    incubation period in insects and in plants 306–307, 312
    sugar beets, studies 297–320
  effect on growth and weight of beets 303–304
  virus—
    overwintering 315
    transmission methods and factors affecting 306–316
Currant—
  cane blight fungus, on currant and apple 584, 589–598
  Physalospora malorum occurrence 583–588
Currants, black, spread of blister-rust infection 1253, 1255, 1257

Page

Cyanamid—
and dicyanodiamid nitrogen, determination method ... 42-43
bibliography ... 68-69
effect on microorganisms in soil ... 1159-1166
fertilizer tests ... 973-975
nitrification rates, comparisons ... 43-54
transformation products, changes in soil ... 54-66
Cyanids, insecticidal value ... 396-399
Cylicobrachytus spp., parasites of the Equidae ... 669
Cylicodontophorus spp., parasites of the Equidae ... 670
Cylicostephanus spp., parasites of the Equidae ... 671
Cylicostomum spp., parasites of the Equidae ... 666, 668, 670, 672
Cylicotoichus sp., parasite of the Equidae ... 669
Cylindropharynx spp., parasites of the Equidae 666, 668, 672
Cyliocercus spp., parasites of the Equidae ... 669
Cyclorrhapha, larvae ... 12, 14
Cyrtosis, cotton growth disorder ... 810
Dairy wastes, aromatic bacillus ... 275-276
Dandelion—
false, infestation with nematode of *Tylenchus dipsaci* ... 473-477
infestation with nematode, *Tylenchus dipsaci* ... 473, 475-477
Davison, F. R. and—
Brewbaker, H E., and Thompson, N. A.: Brittle Straw and Other Abnormalities in Rye ... 169-172
Willaman, J. J.: Some Modifications of the Picric Acid Method for Sugars ... 479-488
Day length—
effect on internodal length and leaf dimensions ... 453-460
relation to growth and sexual development of hemp ... 1069-1076
Daylight length, artificial control, effect on blossoming and growth ... 447-460
Dearstyne, R. S., and Kaupp, B. F.: Fowl Typhoid, Its Dissemination and Control ... 75-78
Delmas, pecan susceptibility to scab ... 322, 328
Delphinium, bacterial leafspot ... 261-270
Demaree, J. B.: Pecan Scab, with Special Reference to Sources of the Early Spring Infections ... 321-329
Denmark, clubroot studies in ... 550-552
Desert region, southwestern, natural vegetation, indicator significance ... 721-802
Desert-sage, association on Southwestern desert soils ... 745-757, 796-799
Dessication, effect on virus of curly-top ... 311
Devarda alloy, use in nitrate determination ... 527, 528-538
Diarrhea, caused by gossypol ... 192
Dicyanodiamid, nitrification in soils and effects on fertilizers ... 39-40, 54-61
Dimorphism, sexual, of hemp, factors affecting ... 1067-1078
Diplodia Natalensis, growing on apple and currant twigs ... 587
Dipsacus fullonum, seed infestation with nematodes ... 474, 477
Diptera, anatomy, embryology, and metamorphosis ... 6, 7, 8, 12, 20, 28, 30, 31
Dodge, B. O.—
and Stevens, Neil E.: The Rhizoctonia Brown Rot and Other Fruit Rots of Strawberries ... 643-648
Expulsion of Aecidiospores by the May-apple Rust, *Puccinia podophylli* ... 923-926
Uninucleated Aecidiospores in the *Caeoma nitens* and Associated Phenomena ... 1045-1058
Donkey, parasites ... 666-672
Dormant spray for pecan scab ... 327
Dorylaimus regius, description, habits, and food ... 1062-1064
Dothiorella pycnidia, from currant cane blight fungus, etc ... 590, 591
Drummond, Pearl L., and Toole, Eben S.: The Germination of Cottonseed ... 285-292
Dry farming land, indications of natural vegetation ... 117
Ducks, flesh, vitamin B content ... 463, 468, 472
Duff, moisture and temperature fluctuations, comparison with bare soil ... 1154-1156

Page

Dunegan, John C., and Roberts, John W.: The Fungus Causing the Common Brown Rot of Fruits in America ... 955-960
Durango cotton, growing and characters, comparisons ... 938-952, 954
Dusts, insoluble aromatic compounds, insecticidal value ... 401
Dycyanodiamide, fertilizer tests ... 973-975
Ear—
corn, development in different varieties ... 412-414
length, meadow mouse ... 988
Earths, alkaline determination in meats ... 341
Eberthella sanguinaria, same as *Bacterium sanguinarium* ... 75, 77
Edema, caused by gossypol poisoning ... 195
Eelworms. *See* Nematodes.
Egg production—
relation to the sex ratio of—
chickens ... 207-209
the domestic fowl ... 199-224
Eggs—
consumption, per capita ... 461
Vitamin content ... 461-472
weight, realtion to sex ratio of chickens ... 209-211
Egyptian cotton, chlorid content of leaf tissue, comparison with Upland ... 695-704
Embryos, meadow mouse, number and weight ... 989
Emmer, wheat group, characters ... 1017
Emmers—
comparison of synthetic form with wild form ... 515-520
wild, study and comparisons ... 515-520
Encelia farinosa, indicator of land value ... 112, 122
Endophyllum spp., characteristics ... 1050, 1052, 1053
Ensiling Sudan grass with a legume ... 255-259
Epiornithological studies of fowl typhoid ... 78
Equidae, nematode parasites ... 666-672
Eremocitrus glauca, susceptibility to citrus canker ... 228
Eristalis sp., larvae ... 8, 10, 13, 20
Erodium cicutarium. *See* Alfileria.
Ether extract, determination in meats ... 340
Euchlaena spp., chromosome number, pollen counts, etc ... 673-676
Eutettix tenella. *See* Leafhopper, beet.
Fasciation, cotton, effects of crazy-top and other diseases ... 814
Fat—
cells, bee larva, description ... 1200-1201
tissue of apple maggot and other larvae ... 16-19
Feeding—
cottonseed, experiments with gossypol ... 173-198
pigeons, with poultry flesh and eggs ... 462-471
Ferona spp., susceptibility to citrus canker ... 228
Fertilizers—
nitrate determination methods ... 533-538
value of phosphorus nitride and ammonium sulphate, comparison ... 1118
Fescue, indicator of land value ... 107, 117, 122
Fiber, cotton, salt content ... 293-295
Fir, Douglas—
cutting methods, effect on reproduction 1233-1242
reproduction—
after logging ... 1152-1154, 1157
on pine lands of central Idaho ... 1140-1147
under various cutting methods ... 1233-1242
Fixed Nitrogen Research Laboratory, fertilizer experiments ... 971-976
Flats, bare, southwestern desert soils ... 779
Flavobacterium suavelens, a new species of aromatic bacillus from dairy wastes ... 275-276
Florida, gooseberry, spiny-fruited, native species ... 71-74
Flowers, cotton, abnormalities, effects of crazy-top and other diseases ... 818
Fly, apple maggot—
anatomy and metamorphosis, notes, and bibliography ... 1-36
technical description ... 21-30, 32
Foot—
meadow mouse, hind, measurement ... 987
meadow mouse, plantar tubercles variation ... 983, 1014
Ford, E. R., and Posey, G. B., Survey of Blister Rust Infection on Pines at Kittery Point, Me., etc ... 1253-1258

Page

Forest—
distribution, relation to sap density..... 892–895
reproduction—
after logging in northern Idaho..... 1149–1157
injury by grazing and other causes... 1145–1146
Fortunella—
hindsii, susceptibility to citrus canker..... 228
spp., susceptibility to cirtus canker..... 226
Foulbrood—
causes and development..... 130–133
European, organisms associated with..... 129, 130, 132,135
relation to the metabolism of its causative organism..... 129–168
Fowl—
domestic. *See* Chicken.
typhoid, dissemination and control..... 75–78
Fowls—
infected with typhoid, description, symptoms, and results..... 76, 77
vaccination for control of typhoid..... 78
Foxes, treatment with carbon tetrachlorid.. 331–337
Frederich, William J., and Peltier, George L.:
Further Studies on the Relative Susceptibility to Citrus Canker of Different Species and Hybrid of the Genus Citrus, etc..... 227–239
Relation of Environmental Factors to Citrus Scab Caused by *Cladosporium citri* Massee..... 241–254
Freezing, soil, limiting factors in sap density of plants..... 894
Fruit, sound, immunity to cambium curculio..... 378, 379
Fruits, brown rot, fungus causing..... 955–960
Fulton, Harry R., and Bowman, John J.:
Preliminary Results with the Borax Treatment of Citrus Fruits for the Prevention of Blue Mold Rot..... 961–968
Fumigation—
effect upon heating of grain caused by insects..... 1103–1116
effects on bean weevils, adults, eggs, and forms within seeds..... 348–355
grain warehouses, experiments with chick peas..... 650–659
Fungi, sporocarps, relation of size and structure to host..... 586–587
Fungus—
brown rot, literature..... 959–960
causing brown rot of fruits in America... 955–960
Fusarium—
bulb rot of onion, and relation of environment to development..... 683–694
cepae—
cause of onion bulb rot, description, etc. 684–688
realtion to temperature, acidity, and alkalinity..... 685–686
moniliforme—
an ascigerous stage and synonomy..... 909–922
culture studies on conidia..... 910, 913–916
Fusicladium effusum, cause of pecan scab, nature and control..... 324–328
Gaines, E. F., and Sax, Karl: A Genetic and Cytological Study of Certain Hybrids of Wheat Species..... 1017–1032
Galleta, indicator of land value..... 106, 118, 119, 125
Galls, nematode, occurrence on composite plants..... 473–477
Gemete production in certain crosses with "rogues" in peas..... 1247–1252
Genetics, wheat, literature..... 1031–1032
Germination—
cottonseed..... 285–292
seed, western white pine, by seasons... 1127–1 28
western white pine, relation to surfaces. 1151–1154
wheat, effect of modified hot-water treatment..... 80–89
Gestation, meadow mouse, period and number of young..... 989
Gibberella—
acervalis, similarity to *Fusarium moniliforme*..... 917
moniliformis, technical description..... 920
saubinetii, similarity to *Fusarium moniliforme*..... 914
Glands, silk, bee larva..... 1189–1190, 1207
Glycogen, utilization in metabolism of *Bacillus larvae*..... 151–153

Page

Godfrey, G. H.: Dissemination of the Stem and Bulb Infesting Nematode *Tylenchus dipsaci*, in the Seeds of Certain Composites..... 473–478
Godkin, James, Johnson, A. G., and Reddy, C. S.: Bacterial Blight of Rye..... 1039–1040
Gonads, rudiments in bee larva..... 1202–1203
Gooseberries, eradication for blister rust unnecessary in Southeast..... 74
Gooseberry, spiny-fruited, from Florida..... 71–74
Gossypol—
content of cottonseed, relation to toxicity.. 173–189
extraction from cottonseed and preparation..... 173–174
intraperitoneal injection into animals..... 174–178
literature concerning..... 188–189, 197
pharmacology..... 191–198
Gradus peas, rogue type, crossing and backcrossing..... 1247–1252
Grain—
fumigation, effect on heating caused by insect infestation..... 1103–1116
heating in storage, causes..... 1108–1114
insects, control in warehouses, experiments with chick-peas..... 649–660
land, indications of natural vegetation..... 117
pests, literature citations..... 1116
treatment with hot water, community plants..... 79–80
Grama grass, indicator of land value..... 100, 103, 104–105, 106, 117–122
Granary weevil, resistance to high and low temperatures..... 1043–1044
Grapefruit—
scab infection, temperature limits..... 243
treatment with borax to prevent rot..... 965, 968
Grasses—
indicators of land value.. 101–107, 112–114, 117–127
inoculation with rust, *Puccinia graminis poae*..... 541–543
Grazing—
injury to conifer reproduction..... 1145, 1146
land, indications of natural vegetation..... 118
lands, carrying capacity of vegetation..... 119–121
Greasewood, indicator of land value..... 110, 118, 120, 125, 126
Greenhouse—
experiments with atmospheric nitrogen fertilizers and related compounds..... 971–976
onion rot, studies and experiments..... 687–688
Grossularia—
curvata, description, comparison with *G. echinella*..... 71–73
echinella, spiny-fruited gooseberry from Florida, description, etc..... 71–74
spp., American, comparison with *echinella*.. 72–74
Guanidin—
nitrate, effect on numbers of bacteria in soil..... 1165, 1166
nitrification in soils..... 40, 63, 65–66
Guanylurea—
effect on numbers of bacteria in soil..... 1161, 1165, 1166
fertilizer tests..... 973–975
nitrification in soils and rate of decomposition..... 40, 56–58, 62, 64
Guinea—
fowl, flesh, vitamin B content..... 463, 468, 472
pigs, inoculation with milk from diseased cows..... 622–642
Gyalocephalus spp., parasites of Equidae... 666, 667
Gymnoconia interstitialis, spore discharge from aecidia..... 925
Haas, A. R. C., and Reed, H. S.: Some Relations Between the Growth and Composition of Young Trees and the Concentration of the Nutrient Solution..... 277–284
"Hairy neck"—
character of rye, investigations..... 568–571
wheat segregates from wheat-rye hybrids. 567–576
Hanson, Karl B., and Van Volkenberg, H. L.:
Anthelmintic Efficiency of Carbon Tetrachlorid in the Treatment of Foxes..... 331–337
Hardiness, plant, relation to sap density... 898–899
Hare, European—
habits, control, and value for food and sport..... 1133–1137
in North America..... 1133–1137

Page
Hares, European, introduction, distribution, and abundance 1134-1136
Harris, J. Arthur: The Chlorid Content of the Leaf-Tissue Fluids of Egyptian and Upland Cotton 695-704
Harrison, W. T.: Ascaris Sensitization 577-582
Hartsville cotton, growing and characters, comparisons 938-952, 954
Head, meadow mouse—
and development of skull 989-992
measurement and body 985-987
Heart—
bee larva, and blood cells 1195-1200, 1207
enlargement, caused by gossypol 196
Hearts, composition 344
Heat—
effect on virus of curly-top 311
in stored grain, caused by insect infestation 1103-1114
wetting, of soil colloids 927-935
Heifers, immunization experiments for bovine abortion 621-633, 636-641
Hemlock, reproduction after logging 1152-1154, 1157
Hemp—
flower mutilation, effect on sex development 1077-1078
growth, relation to length of daylight 1070-1074
sex, influence of environment 1067-1080
Hens, flesh, vitamin B content 463, 466-467, 468-469, 472
Herbs, Wasatch Mountains, freezing point, depressions, and osmotic pressures 871-875, 880-884
Herds, bovine abortion, vaccine treatment 617-620
Hesperethusa crenulata, susceptibility to citrus canker 228
Hessian fly—
parasite *Platygaster vernalis*—
development and feeding 833-837
polyembryonic development 829-840
Hilaria rigida, indicator of land value 106, 118, 121
Hill, C. C., and Leiby, R. W.: The Polyembryonic Development of *Platygaster vernalis* 829-840
Hip glands, meadow mouse, variations 984-985, 1014
Hoagland, Ralph, and—
Lee, Alfred R.: Anfineuritic Vitamin in Poultry Flesh and Eggs 461-472
Powick, Wilmer C.: The Chemical Composition of Edible Viscera From Meat-producing Animals 339-346
Holding tests, citrus fruits treated with chemicals for prevention of rot 961-963
Honeybee—
cluster, heat production 1109
fat tissue in larvae and in mature insects 16, 17, 18, 19
larva, morphology 1167-1214
Hookworm, fox, treatment with carbon tetrachlorid 331-337
Hopperdozer, use in control of leafhopper 316
Horse—
Ascaris, fluid extract eye-test experiments on horses 577, 580, 581, 582
parasites 666-672
Hot-water treatment, injury to wheat, relation of seedcoat protection 86-89
Howell, A. Brazier: Individual and Age Variation in *Microtus montanus yosemite* 977-1016
Humus depth, relation to root length of forest seedlings 1238-1239
Hybosis, cotton growth disorder 809-810
Hybrid—
maize, Jala and Tom Thumb, character inheritance, etc 1097-1101
teosinte-and-corn, pollen counts and chromosomes 674-676
Hybrids—
citrus, susceptibility to citrus canker 230-231, 235-239
wheat species, study, genetic and cytological 1017-1032
wheat-rye, "hairy neck" segregates 567-576
Hydrocyanic-acid gas—
fumigation of grain for insect pests 1106, 1113, 1114, 1115

Page
Hydrocyanic-acid gas—Continued.
use in—
control of bean weevils 347-355
protection of chick-peas in 240-pound sacks 649-660
Hypochaeris radicata. *See* Dandelion, false.
Hypoderma—
bovis, second-stage larva, comparison with *H. lineatum* 274
lineatum, larval stages, comparison of characters 271-274
Idaho—
central, growth on cut-over and virgin western yellow pine lands 1139-1148
northern, reproduction after logging, some factors affecting 1149-1157
Priest River Forest Experiment Station, pine-seed sowing 1127-1131
Imaginal buds, apple-maggot larvae 7-8
Indiana, wheat treating in community plants 79-80
Inoculation—
oats with stem rust to test varietal resistance, results 710-718
onion with Fusarium bulb rot, greenhouse experiments 687-688
Insect balls in grain, notes 1109
Insecticides—
nonarsenical stomach-poison, studies 395-402
testing—
method 395
on insects and on bean foliage 395-402
Insects—
carriers of crazy-top disease, study 825
cause of heating in grain 1103-1114
forest, losses caused to pine and Douglas fir 1144
number, relation to curly-top and variation of individuals 307-310
Internodal length, effect of varying day length 453-460
Internodes, cotton, irregularity, effects of crazy-top and other diseases 815
Involucres, abnormal, of cotton, effects of crazy-top and other diseases 817
Iodin, permeability gradient in wheat seed coats 225-226
Iron determination in meats 341
Ironwood, indicator of land value and possibilities 112, 122
Jackson, H. S., and Mains, E. B.: Aecial Stages of the Leaf Rusts of Rye and of Barley in the United States 1119-1126
Jacob, K. D.: Chemical and Biological Studies with Cyanamid and Some of its Transformation Products 37-69
Jala maize, crossing with Tom Thumb maize, results 1095-1102
Japan, climate, comparison with Alabama and California 249-252
Job's tears, pollen counts and chromosome number 677
Johnson, A. G., Reddy, C. S., and Godkin, James: Bacterial Blight of Rye 1039-1040
Jull, M. A.: The Relation of Antecedent Egg Production to the Sex Ratio of the Domestic Fowl 199-224
Kaupp, B. F., and Dearstyne, R. S.: Fowl Typhoid, its Dissemination and Control 75-78
Kearney, Thomas H.—
Non-inheritance of Terminal Bud Abortion in Pima Cotton 1041-1042
The Salt Content of Cotton Fiber 293-295
Kempton, J. H.: Correlation Among Quantitative Characters in Maize 1095-1102
Kernel, corn, toughness tests 414-422, 432, 438
Kidneys, composition 344
Kigelia pinnata, host plant of *Heterodera radicicola* 1061
King, C. J.: Comparison of Pima Cotton with Upland Varieties in Arizona 937-954
Korstian, C. F.—
Density of Cell Sap in Relation to Environmental Conditions in the Wasatch Mountains of Utah 845-907
Growth on Cut-over and Virgin Western Yellow Pine Lands in Central Idaho 1139-1147

Kubanka— Page
durum wheat, crosses with black winter emmer 516-519
wheat, crosses with *vulgare* species 1019-1031
Kumquats, resistance to citrus canker 228
Laake, E. W.: Further Observations on the Molts of the Ox Bots, *Hypoderma bovis* De Geer and *H. Lineatum* Villers 271-274
Land, agricultural potentiality characterized by plant associations 800-801
Larch, reproduction after logging 1152-1154, 1157
Larkspur—
disease, bacterial leaf spot, cause and control 261-270
inoculation with leafspot bacteria 263-264
Larsen, J. A.: Some Factors Affecting Reproduction After Logging in Northern Idaho 1149-1157
Larson, A. O.: Fumigation of Bean Weevils *Bruchus obtectus* and *B. quadrimaculatus* 347-356
Larva, bee, description, anatomy, and histology of various parts 1167-1208
Larvae—
apple maggot, development 1-21
bee, composition at different ages 142-150
Lasioderma sericorne, control in chick-peas 649, 658
Lawrence—
John V.: The Chlorid Content of the Leaf Tissue Fluids of Egyptian and Upland Cotton 695-704
Zonja Wallen: The Chlorid Content of the Leaf Tissue Fluids of Egyptian and Upland Cotton 695-704
Lead arsenate, insecticidal value, comparison with cuprous cyanid 399
Leaf—
dimensions, relation to varying day length 453-460
forms, cotton, abnormal, effects of crazy-top and other diseases 815-816
orange, sap concentration and reaction, relative constancy 277
Leaf-curl, cotton, growth disorder 809-810
Leaf-cut, cotton growth disorder 807-809
Leafhopper—
beet—
control method 316-317
distribution 299-300
transmission of curly-top disease 306-310
curly-top virus incubation period 306-308
Leafspot, bacterial, of Delphinium 261-270
Leather rot—
of strawberries, cause and description 646-648
strawberry 357-376
Leaves—
conifer, sap density seasonal variations 889-892
cotton, discoloration, effect of mosaic diseases 816-817
pecan, scab description and source of infection 322-323, 325
young orange trees, composition 282, 283
Lee, Alfred R., and Hoagland, Ralph: Antineuritic Vitamin in Poultry Flesh and Eggs 461-472
Legumes, sowing with Sudan grass for silage mixture 256-257
Leiby, R. W., and Hill, C. C.: The Polyembryonic Development of *Platygaster ternalis* 829-840
Leighty, Clyde E., and Taylor, J. W.: Hairy Neck Wheat Segregates from Wheat-Rye Hybrids 567-576
Lemons, treatment with borax to prevent rot, experiments 962-968
Leonard, Lewis T.: Effect of Moisture on Seed-borne Bean Disease 489-497
Lepus europaeus, in North America 1133-1137
Levine, M. N., and Stakman, E. C.: *Puccinia graminis poae* Erikss. and Henn. in the United States 541-548
Light, relation to curly-top infection 310
Limbs, variations, progeny tests 522-523
Lime content of cyanamid, relation to increase of soil bacterial numbers 1163-1164
Lime-sulphur wash, as repellant on orchard trees 1137
Liming soil, effect on clubroot 551, 558
Lint cotton, comparisons 950-952
Livers— Page
antineuritic value 469, 472
composition, table 342-343
Logging, effect on forest cover and reproduction 1149-1157
Lone Star cotton, growing and characters, comparisons 938-952
Longley, Albert E.: Chromosomes in Maize and Maize Relatives 673-682
Loomis, H. F.: Comparison of Pima Cotton with Upland Varieties in Arizona 937-954
Louisiana, sugar-cane root disease, relation to snails 960-970
Love, H. H., and Craig, W. T.:
The Genetic Relation Between *Triticum dicoccum dicoccodies* and a Similar Morphological Type Produced Synthetically 515, 520
The Inheritance of Pubescent Nodes in a Cross Between Two Varieties of Wheat 841-844
Lyctus planicollis. *See* Beetle, powder-post; Powder-post beetle.
Mackie, William W., and Allen, Ruth F.:
The Resistance of Oat Varieties to Stem Rust 705-720
Maggot, apple anatomy and metamorphosis 1-36
Magnesium sulphate, effect on wheat growth 387-393
Magnesium-oxid method of nitrate determination, comparisons 536-538
Magoon, C. A., and Culpepper, C. W.: Studies Upon the Relative Merits of Sweet Corn Varieties for Canning, etc 403-443
Mahogany, mountain, indicator of land value and possibilities 115, 118, 120, 123, 124, 125
Maine—
Experiment Station, wheat hybrids, growing experiments 1019
Kittery Point, pines' infection with blister rust, etc., survey 1253-1258
Mains, E. B., and Jackson, H. S.: Aecial Stages of the Leaf Rust of Rye and of Barley in the United States 1119-1126
Maize—
characters, correlation 1095-1102
See also Corn.
Malphigian tubules, bee larva 1188-1179, 1207
Malva parviflora, susceptibility to curly-top 315
Mammals, small, preparation of skulls for collection 978-979
Mammae, meadow mice 983, 1014
Mandible, meadow mouse, description and variation 1009, 1015
Map, western United States, key to vegetation regions 100, 123-127
Marquis wheat crosses with emmer species 1019-1031
Matchweed, indicator of land value and possibilities 101, 103, 104, 119-125
Maturity, corn, tests for canning stage 434
Mayapple rust, expulsion of aecidiospores 923-926
McClelland, T. B.: The photoperiodism of *Tephrosia candida* 445-460
McKeever, H. G.: Spacing Experiments with Acala Cotton in Southern California 1081-1093
McPhee, Hugh C.: The Influence of Environment on Sex in Hemp, *Cannabis sativa* 1067-1080
Meadows, vegetation type, indicator of land value 108
Meat, hare, food value and quantity, estimate 1137
Mebane cotton, growing and characters, comparison 938-952
Melophagus ovinus, embryology studies 6, 10-11, 13
Mesquite—
association with chamiso on southwestern desert soils 766-769, 796-799, 800
indicator of land value and possibilities 103, 112, 113
thicket on southwestern desert soils 757-759
Metals, alkali, determination in meats 341
Mice, meadow—
characters, variations with sex and age 977-1016
male and female, measurement 981-982, 1014
measurement, methods employed and results 979, 985-988, 1014
Microcitrus, susceptibility to citrus canker 228, 230
Microorganisms in soil, effect of cyanamid and related compounds 1159-1166

Page

Microtus montanus yosemite—
variation, individual and age 977-1016
See also Mouse, meadow; Mice, meadow.

Middleton, Howard E.: Factors Influencing the Binding Power of Soil Colloids 499-513
Milk, infection with abortion bacteri 614, 620
Minnesota rye, abnormalities occurrence 169
Mistletoe, losses caused to Douglas fir in Idaho forests 1144-1145
Mixtures, silage crops, typical combinations 255
Moisture—
content, sweet corn 426
cottonseed, relation to germination 290-291
determination in meats, method 339
effect on—
forest reproduction 1235-1236
seed-borne bean disease 489-497
relation to citrus scab infection and development 243-253
Molds, corn ear, studies 909-922
Molting, meadow mice 983, 1014
Molts, ox bots, observations 271-274
Montana, Lola National Forest, Savanac nursery pine-seed sowing 1127-1131
Monteith, John, Jr., Relation of Soil Temperature and Soil Moisture to Infection by *Plasmodiophora brassicae* 549-562
Moore, William, and Campbell, F. L.: Studies on Nonarsenical Stomach-poison Insecticides 395-402
Morphology, honeybee larva 1167-1214
Mortality, prenatal, in chickens, relation to sex ratio 202-207
Mountain weed, indicator of land value and possibilities 108, 118, 122-126
Mouse, meadow—
coloration and other characters, variations 980-1014
skull, description, and measurement of bones and teeth 993-1014
variation, individual and age 977-1016
Mulching strawberries for prevention of rot 374
Mules, parasites, key 666-672
Mummy peas, crossing with Gradus rogue and Rice's 330 1247-1248
Muscles, bee larva, head and trunk, description 1190-1195, 1207
Muscoidae, anatomy, embryology, and metamorphosis 8, 10, 14-15, 29, 30
Myiophasia globosa, enemy of cambium curculio 385, 386
Needlegrass, indicator of land value and possibilities 102-105, 117, 120, 121, 1214
Nelson, James A.: Morphology of the Honeybee Larva 1167-1214
Nemas, parasitic, on plants and related forms 1059-1066
Nematode—
Cylindropharynx ornata, from the zebra, with keys to other nematode parasites 661-672
new, *Cylindropharynx ornata*, of zebra 661-672
Tylenchus dipsaci, dissemination in seeds of certain composites 473-478
Nematodes—
literature relating to 478
plant, literature citations 1065-1066
Nervous systems, bee larva, brain, ventral nerve cord, etc 1172-1179, 1205
Netting, poultry, use in protecting trees against hares 1137
Niggerwool, indicator of land value and possibilities 100, 101, 102, 104, 118, 120-125
Nitrate—
determination in—
fertilizers, comparison of methods 533-536
nitrogenous materials 527-539
formation from cyanamid and urea in soils 49-53
nitrogen determination method 42-43
Nitrification of phosphorus nitride 1117-1118
Nitrogen—
atmospheric, fertilizers, greenhouse experiments 971-976
determination in meats 340
importance in wheat growth and development 393

Page

Nitrogenous—
compounds, analysis, methods 41-43
materials, nitrate and ammonia determination 527-539
Nodes, pubescent, inheritance in a cross between two varieties of wheat 841-844
Nolina, indicator of land value and possibilities 114, 118, 120, 123
Nonarsenical stomach-poison insecticides 395-402
Northoscordium bivalve, host of *Uromyces hordei* 1124
Nut, pecan, scab, description and source of infection 323, 325
Nutrient solution—
concentration, relation to orange trees, growth and composition 277-284
molecular proportions, relation to wheat growth 387-393
Shive's formula 388
Oak, lumber, steaming for control of powder-post beetle 1033-1038
Oats—
breeding, for resistance to stem rust, and results 706
inoculation with stem rust, tests of resistance in varieties 706-709
resistant to stem rust, list of varieties 706
stem rust, resistance by oat varieties 705-720
varieties—
inoculation with stem rust to test resistance, results 710-718
resistance to stem rust 705-720
Ocotillo, indicator of land value and possibilities 112, 118, 122, 127
Oenocytes, bee larva, description 1201-1202
Oesophagodontus spp., parasities of Equidae, key 666, 667
Onion—
diseases, literature citations 693-694
Fusarium bulb rot, and relation of environment to development 683-694
seedlings, infestation with nematodes 477
storage, relation of temperature to rot development 691-692, 693
Onions, inoculation with Fusarium bulb rot, greenhouse experiments 687-688
Oospora verticilioides, similarity to *Fusarium moniliforme* 918-920
Orange—
Thompson strain, progeny propagation of limb variations, results 522-525
trees, growth and composition, relation to nutrient solution 277-284
Valencia, effect of concentration of solution on young trees 280-281
Washington navel, quality of crop as related to bud selection 521-526
Oranges—
brown-spotted, from limb variations 522
factors determining quality of crop 521
leaf sap, concentration and reaction, relative constancy 277
rind, juice, color, size, and shape, relation to quality 521
scab infection, temperature limits 243
treatment with borax to prevent rot, experiments 961-968
Ornithogalum spp., host of *Puccinia anomala*, aecial stage 1124-1125
Orthorrhapha larvae, notes 12, 14
Osmotic phenomena, relation to cell sap concentration 846-847
Ovaries, honeybee queen larva 1203
Ox bots, molts, observations 271-274
Palms, growing in desert soils, Coachella Valley 763-764
Paloverde, indicator of land value and possibilities 112, 122
Paralysis, caused by gossypol poisoning 194
Paramignya monophylla, susceptibility to citrus canker 228
Parasite, Hessian fly, *Platygaster vernalis*, polyembryonic development 829-840
Parasites—
nematode—
literature citations 672
of the Equidae, horse, donkey, mule, and zebra, key 666-672

Page

Paratylenchus nanus infestation of zinnia roots ... 1064-1065
Parosela arborescens, indicator of land value and possibilities ... 113, 122
Pasture, gains of steers, effects of winter rations ... 1215-1232
Patellina fragaria, cause of tan rot of strawberries ... 645
Peas—
crossing, gamete production ... 1247-1252
mutations in cross breeding ... 1247-1252
Pecan—
scab, and sources of early spring infections 321-330
trees, spraying, difficulties ... 328
Pecans—
growing in Southeast, and distribution of scab ... 321
spraying for scab-control experiments ... 326-327
varietal susceptibility to scab ... 322, 325
Peels, apple, quercetin isolation and identification ... 1243-1245
Pellagra, relation to *Oospora verticilloides* on corn, discussion ... 918
Peltier, George L., and Frederich, William J.: Further Studies on the Relative Susceptibility to Citrus Canker of Different Species and Hybrids of the Genus Citrus, etc ... 227-239
Relation of Environmental Factors to Citrus Scab Caused by *Cladosporium citri* Massee ... 241-254
Pests, grain, literature citations ... 1116
Pezizella lythri, cause of tan brown rot of strawberries ... 647, 648
Pharmacology, gossypol ... 191-198
Pharynx, apple maggot larvae ... 8-15
Phenol, effect on nitrification of cyanamid ... 53-54
Phlox, *Cephalobus* occurrence ... 1059-1061
Phosphorus—
determination in meats ... 340
nitride, nitrification, comparison with ammonium sulphate ... 1117-1118
Photoperiodism of *Tephrosia candida* ... 445-460
Physalospora malorum—
comparison with *Botryosphaeria ribis* ... 596-597
on currant ... 583-588
spores from apple and currant, comparison 585-586
Phytophthora cactorum, cause of leather rot of strawberries ... 357, 358-366, 646, 647, 648
Pickleweed—
association on Southwestern desert soils ... 764-766, 796-797, 800
indicator of land value and possibilities ... 111, 118, 121, 122, 126, 127
Picric acid—
effect on glucose and fructose ... 480-481
method of sugar determination, modifications ... 479-488
purifying for sugar tests ... 485-486
Piemeisel, R. L., and Shantz, H. L.: Indicator Significance of the Natural Vegetation of the Southwestern Desert Region ... 721-802
Pigeons, feeding with poultry flesh and eggs, experiments ... 462-471
Pima cotton—
comparison with Upland varieties in Arizona ... 938-954
fiber, salt content ... 293-295
Pine—
lands, central Idaho, growth and reproduction of pine and Douglas fir ... 1139-1147
lumber, growth in Douglas fir stands ... 1237, 1239, 1240
reproduction after logging ... 1152-1154, 1157
western—
white, germination, relation to surfaces ... 1151-1154
white, seed, fall sowing and delayed germination ... 1127-1131
yellow, growth on cut-over and virgin lands in central Idaho ... 1139-1148
yellow, losses in central Idaho, causes. 1143-1145
Pines—
blister rust infection at Kittery Point, Me., and effect of *Ribes* eradication ... 1253-1258
hard, immunity to blister rust ... 74
infection by blister rust, relation to size and density of stand ... 1255-1257

Page

Plant—
communities on desert soils, detailed description ... 730-779
growth, effect of varying the day length ... 451-453
succession, relation to sap density ... 892-895
Plants—
desert—
associated on southwestern desert region, description ... 730-779
list, with botanical names ... 781
dioecious, sex reversal, discussion ... 1079
food supply, seasonal variations ... 891-892
growth and reproduction, relation to sap density ... 895-896
semiarid, indicators of land values ... 100-127
structure and physiology, variation with environment ... 896-898
susceptibility to curly-top disease ... 314-315
Plasmodiophora brassicae, infection, relation of soil temperature and soil moisture ... 549-562
Platygaster vernalis—
egg description and development ... 830-833
life history and embryonic development ... 829-838
polyembryonic development ... 829-840
Plodia interpunctella, control in warehouses by fumigation ... 649, 659
Pluchea sericea, indicator of land value. 113, 122, 127
Poa spp., infection with *Puccinia graminis poae* and inoculation experiments ... 541-543
Poisoning, gossypol, metabolism of animals. 192-194
Polish wheat, crosses with *vulgare* species. 1019-1031
Polyneuritis in pigeons, cause, feeding tests. 464-469
Polysaccharides in sweet corn ... 427-431
Pomeroy, C. S.: Bud Selection as Related to Quality of Crop in the Washington Navel Orange ... 521-526
Poncirus trifoliata, susceptibility to citrus canker ... 227, 230
Porcupines, injury to young trees, western yellow pine and Douglas fir ... 1143, 1145
Pore, formation in aecidiospores of *Puccinia podophylli* ... 925
Pork, Ascaris-infected hogs, experiments in sensitization ... 579
Posey, G. B., and Ford, E. R.: Survey of Blister Rust Infection on Pines at Kittery Point, Me., etc ... 1253-1258
Potassium—
di-hydrogen phosphate, effect on wheat growth ... 387-393
effect on orange tree growth and composition ... 278, 281, 283
Potato beetle, insecticides ... 398, 400
Poteriostomum spp., parasite of Equidae ... 666, 667
Poultry—
consumption per capita, comparison with other meats ... 461
flesh, vitamin content ... 461-472
Powder-post beetle, temperature fatal to, determination ... 1033-1038
Powick, Wilmer C., and Hoagland, Ralph: The Chemical Composition of Edible Viscera from Meat-Producing Animals ... 339-346
Promycelia, orange rust on blackberries ... 1047-1050
Protein, decomposition by *Bacillus larvae*. 155-157
Puccinia—
graminis—
avena, races, resistance of oat varieties ... 705-720
in the United States ... 541-548
varieties, comparisons and hosts ... 543-547
podophylli—
aecidiospores, description, and expulsion method ... 923-926
mayapple rust, expulsion of aecidiospores ... 923-926
spp., rusts of rye and barley, aecial stages ... 1119-1126
Quercetin—
a flavonol pigment in apple peel ... 1243, 1245
from apple peel, isolation and identification ... 1243-1245
Rabbitbrush, indicator of land value ... 109, 117, 118, 120-126
Rabbits, feeding with gossypol, experiments 191-196
Rainfall—
effect on spread of bean disease ... 493-495
relation to—
curly-top ... 302
strawberry leather rot ... 367-371

Page

Rands, R. D.: Snails as Predisposing Agents of Sugar Cane "Root Disease" in Louisiana 969-970
Ransom, B. H.: Ascaris Sensitization 577-582
Rations—
steer, winter and summer, composition and amount 1217-1218
succulent, comparison with dry rations for steers 1231
winter, of steers, effects on pasture gains 1215-1232
Rats—
feeding—
experiments with cottonseed kernels or gossypol 174-186
with gossypol, experiments 176-186
growth on feed containing gossypol 179-185
Reddy, C. S., Godkin, James, and Johnson, A. G., Bacterial Blight of Rye 1039-1040
Reed, H. S., and Haas, A. R. C.: Some Relations Between the Growth and Composition of Young Orange Trees and the Concentration of the Nutrient Solution 277-284
Reforestation activities, relation to environmental conditions 845, 846, 895
Reproduction, forest—
after logging in northern Idaho, factors affecting 1149-1157
injury by grazing and other causes 1145-1146
Rhagoletis pomonella—
larval development 1-21
metamorphosis 21-30, 32
See also Apple maggot; Maggot, apple.
Rhizoctonia brown rot of strawberries, description, and inoculation of fruit 643-645, 647, 648
Rhizopertha dominica, control in chick-peas 649, 658
Rhizopus nigricans, presence in cottonseed 286
Ribes spp.—
eradication, effect on pine infection by blister rust, survey 1253-1258
spread of blister rust to pines 1253-1255, 1257
Rice weevil, resistance to high and low temperatures 1043
Roberts, John W., and Dunegan, John C.: The Fungus Causing the Common Brown Rot of Fruits in America 955-960
Rogues, pea, crosses, results 1247-1252
Root disease, sugar cane, relation to snails 969-970
Roots, young orange trees, composition 282, 283
Rose, Dean H.: Leather Rot of Strawberries 357-376
Rot—
blue mold, citrus fruits, prevention, results of borax treatment 961, 968
brown—
history of fungus in Europe and America 955-960
of fruits in America, fungus causing 955-960
leather—
strawberry 357-376
strawberry, range and relation to rainfall 366-371
onion bulb, cause, and relation to environment 683-694
Rots—
brown, of strawberries 643-648
Phytophthora, literature 374-375
strawberry—
fruit 643-648
percentage of leather rot to other 371-372
Rubus spp., infection with orange rusts 1045-1058
Rust—
blister, infection of pines at Kittery Point, Me., and *Ribes* eradication 1253-1258
grass, inoculation experiments 541-543
mallow, characteristics 1045, 1053
mayapple, *Puccinia podophylli*, expulsion of aecidiospores 923-926
orange—
on blackberry, uninucleated aecidiospores 1045-1058
short-cycled, promycelia, characteristic features 1049-105
stem, resistance of oat varieties 705-720
Rusts—
cereal—
literature 718-719
literature relating to 547-548
physiological races, investigations and discoveries 705
grain, literature 1126

Page

Rusts—Continued.
leaf, of rye and barley, aecial stages 1119-1126
orange, blackberry infection 1045-1058
Rye—
bacterial blight 1039-1040
brittle straw and other abnormalities 169-172
cell thickness 173
culms, normal and brittle, analysis 170
inbred strains, abnormalities 169
leaf rust, *Puccinia dispersa*, aecial stages 1119-1126
wild, giant, indicator of land value 107, 120, 124
Sacaton, indicator of land value 106, 118, 119, 124, 125
Sage varieties, indicators of land value 100-113, 117-126
Sagebrush, indicator of land value 101, 108, 117-126
Salt content of cotton fiber 293-295
Salt bush, narrowleaf, association on Southwestern desert soils 759-761, 796-799
Saltgrass, association on southwestern desert soils 761-763, 796-799, 800
Salts, wheat nutrition 387-393
Samphire, indicator of land value 111, 118, 121, 122, 125, 126
Sando, Charles E.: The Isolation and Identification of Quercetin from Apple Peels. 1243-1245
Sap—
cell, density, relation to environmental conditions in the Wasatch Mountains, Utah 845-907
concentration—
relation to osmotic phenomena 846-847
seasonal variations 888-892
density—
determination, technique 849-851
of plants in Wasatch Mountains 860-884
orange leaf, concentration and reaction, relative constancy 277
Satsuma oranges—
susceptibility to—
citrus canker 229-230
citrus scab 248
Sausage tree, African, host of *Heterodera radicicola* 1061
Sax, Karl, and Gaines, E. F.: A Genetic and Cytological Study of Certain Hybrids of Wheat Species 1017-1032
Scab—
citrus—
epidemic in Alabama, conditions essential for 249, 253
relation to environmental factors 241-254
yearly prevalence, conditions determining 249-250
pecan—
and sources of early spring infections 321-330
description, on leaves, nuts, twigs, catkins, and buds 322-324
infection source and control measures 324-328
Schwartze, Erich W., and Alsberg, Carl L.: Pharmacology of Gossypol 191-198
Relation Between Toxicity of Cottonseed and its Gossypol Content 173-189
Sclerotinia—
cinera, fungus causing brown rot of fruits in America 955-960
fructicola, same as *Sclerotinia cinerea* 959
spp., measurements of asci and ascospores 957
Scofield, C. S., and Kearney, Thomas H.: The Salt Content of Cotton Fiber 293-295
Seed—
coat, permeability gradient to iodin 225-226
coats, wheat, means of protection of embryo from hot-water injury 86-89
cotton—
comparisons 960-962
germination 285-292
soaking—
effects, general 489-490
literature referring to 496-497
western white pine, fall sowing and delayed germination 1127-1131
Seedlings—
Douglas fir, survival under different cutting systems 1234-1235
orange, growth and composition, effect of concentration of nutrient solution 278-279
Seeds—
composites, infestation with *Tylenchus dipsaci* 473-478

Page
Seeds—Continued.
cotton, prewetting method of germination 287–288
live, in cottonseed sample, demonstration.. 287
Seepweed—
indicator of land value.. 111, 118, 121, 122, 125, 126
on southwestern desert soils..... 773, 778, 796–799
Semiarid United States, vegetation, types and their significance..... 99–128
Serological tests, cattle, for infectious abortion..... 613, 614, 617–620
Severinia buxifolia, resistance to citrus canker.. 228
Sewell, M. C.: Relation of the Molecular Proportions in the Nutrient Solution to the Growth of Wheat..... 387–393
Sex—
determination in chickens during embryonic development..... 214–220
hemp, influence of environment..... 1067–1080
ratio, chickens, experimental study and discussion..... 200–220
Shadscale, indicator of land value..... 109, 110, 118, 120, 125
Shamel, A. D.: Bud Selection as Related to Quality of Crop in the Washington Navel Orange..... 521–526
Shantz, H. L., and—
Aldous, A. E.: Types of Vegetation in the Semiarid Portion of the United States, etc..... 99–128
Piemeisel, R. L.: Indicator Significance of the Natural Vegetation of the Southwestern Desert Region..... 721–802
Sharkey clay soil, colloids from, breaking strength..... 508–512
Shaw, R. H., and Wright, P. A.: A Study of Ensiling a Mixture of Sudan Grass with a Legume..... 255–259
Shear, C. L.: Botryosphaeria and Physalospora on Currant and Apple..... 585–598
Shedd, O. M.: The Determination of Nitrate and Ammonia in Nitrogenous Materials.. 527–539
Sheep, grazing, injury to young coniferous trees..... 1145–1146
Sheets, E. W.: Effect of Winter Rations on Subsequent Pasture Gains of Steers... 1215–1232
Shelterwood—
cutting method, effect on reproduction.... 1234, 1235, 1239, 1241, 1242
method of cutting Douglas fir, effect on reproduction..... 1234, 1235, 1237, 1239–1242
Shinnery, indicator of land value..... 114, 118, 120, 123, 124
Shive's nutrient solution, formula..... 388
Shoots, young orange trees, composition... 382, 383
Shrinkage, steers in transit and in dressing.. 1230–1231
Shrubs, Wasatch Mountains, freezing-point, depressions, and osmotic pressures..... 866–871, 878–879
Silage—
crops, mixture, typical combinations..... 255
Sudan-grass mixture with legume, palatability and composition..... 257–258
Silking, corn, relation to maturity..... 409–411
Silvanus cassiae, heating of bran..... 1105
Silver, James: The European Hare (*Lepus europaeus* Pallas) in North America.. 1133–1137
Sitophilus—
granarius. *See* Weevil, granary; Granary weevil.
oryza—
heating of grain..... 1105, 1113, 1115
See also Weevil, rice; Rice weevil.
Skin disease, result of Ascaris poisoning..... 578, 579, 580, 581
Skinner, J. J.: Greenhouse Experiments with Atmospheric Nitrogen Fertilizers and Related Compounds..... 971–976
Skull, meadow mouse, description and measurement of bones and teeth..... 992–1014
Skulls, meadow mouse, cleaning and preparing for collection..... 978
Slash disposal in cutting Douglas fir, effect on reproduction..... 1236–1241
Smalling, cotton growth disorder..... 810–811
Smut, wheat, hot-water treatment modified... 79–98
Snails, relation to root disease of sugar cane in Louisiana..... 969–970
Snapdragon, infestation with *Heterodera radicicola*..... 1061
Snodgrass, R. E.: Anatomy and Metamorphosis of the Apple Maggot, *Rhagoletis pomonella* Walsh..... 1–36
Snyder, T. E., and St. George, R. A.: Determination of Temperatures Fatal to the Powder-post Beetle, *Lyctus planicollis* Leconte, by Steaming Infested Ash and Oak Lumber in a Kiln..... 1033–1038
Sodium—
cyanid, fumigation of grain for insect pests. 1106, 1107, 1108, 1113, 1114, 1115
effect on orange tree growth and composition.. 278, 281, 283
Soil—
colloids—
binding power, factors influencing..... 499–513
heat of wetting..... 927–935
moisture, relation to clubroot..... 549–562
particles, noncolloidal, heat of wetting.... 929–930
temperature, relation to clubroot..... 549–562
treatment for control of larkspur leafspot.... 269
Soils—
bacteria, effect of cyanamid and related compounds..... 1159–1166
colloidal material—
estimating, heat of wetting as basis..... 930–934
heat of wetting..... 928–929
desert, southwestern, composition and salts.. 723, 724–725
salinity, relation to chlorid content of cotton plants..... 696, 701
Soppeland, Lulu: *Flavobacterium suaveolens*, a New Species of Aromatic Bacillus Isolated from Dairy Wastes..... 275–276
Sowing western white pine seed, fall versus spring..... 1128–1131
Soybeans, silage, composition..... 258
Spacing, cotton, experiments in southern California..... 1081–1093
Sphaeropsis malorum, perfect stage found in currant..... 584–585
Spinach, susceptibility to curly-top..... 315
Spore, discharge, mechanics studies..... 923, 924, 926
Sporocarps of *Physalospora malorum*, size and structure, relation to host..... 586–587
Spraying, pecans for scab control..... 326–327
Sprays—
absorbed organic compounds, insecticidal value..... 399–400
inorganic nonarsenical compounds, testing as insecticides..... 396
pecan scab..... 326–327
Spring growth, citrus, relation to scab infection..... 243–253
Spruce, Engelmann, growth in Douglas fir forests..... 1237–1240
Squares, cotton, shedding, effect of crazy-top and other diseases..... 817
Squash lady beetle, insecticides..... 401
St. George, R. A., and Snyder, T. E.: Determination of Temperatures Fatal to the Powder-post Beetle, *Lyctus planicollis* Leconte, by Steaming Infested Ash and Oak Lumber in a Kiln..... 1033–1038
Stahl, C. F., and Eubanks, Carsner: Studies on Curly-top Disease of the Sugar Beet.. 297–320
Stakman, E. C., and Levine, M. N.: *Puccinia graminis poae* Erikss. and Henn. in the United States..... 541–548
Staminate hemp plants, description..... 1067
Star-of-Bethlehem, host of barley leaf rust..... 1124–1125
Steers—
gains on pasture, effects of winter rations..... 1215–1232
rations, winter and summer, composition and amount..... 1217–1218
shrinkage in transit and in dressing..... 1230–1231
Steiner, G.: On Some Plant Parasitic Nemas and Related Forms..... 1059–1066
Stellaria media, inoculation with curly-top... 312, 313, 315
Stem rust, resistance of oat varities..... 705–720
Stenosis, cotton growth disorder..... 810–811
Sterility, wheat hybrids..... 1017–1032
Stevens, Neil E.—
and Dodge, B. O.: The *Rhizoctonia* Brown Rot and Other Fruit Rots of Strawberries..... 643–648

Page
Stevens, Neil E.—Continued.
Botryosphaeria and Physalospora on Currant and Apple ... 589-598
Physalospora malorum on currant ... 583-588
Stockton clay adobe soil, colloids from, breaking strength ... 511, 512
Storage, onion, relation of temperature to rot development ... 691-692, 693
Strawberries—
fruit rots ... 643-648
holding tests, rots developing, study of causes ... 373
infection in field with leather rot ... 365-366
inoculation with leather rot ... 364-365
shipments, by States, 1922 ... 367
varieties susceptible to leather rot ... 366
Strawberry leather rot ... 357-376
Strongylus spp., parasites of Equidae ... 666, 667, 672
Stroud method for nitrate determination ... 528-531
Sturtevant, A. P.: The Development of American Foulbrood in Relation to the Metabolism of Its Causative Organism ... 129-168
Sudan grass—
mixture—
with a legume, ensiling ... 255-259
with legume silage, composition ... 257-258
silage, composition ... 257-258
Sugar—
content, sweet corn, changes and tests ... 427, 434-435
determination, literature ... 487-488
in bee larvae, quantitative determination ... 141-150, 157-159
Sugars—
color values, comparison with glucose ... 484-485
determination, picric acid methods ... 479-488
Tail, meadow mouse, measurement ... 987
Tan brown rot of strawberries, description ... 645-646, 648
Tapke, V. F.: Effects of the Modified Hot-water Treatment on Germination, Growth, and Yield of Wheat ... 79-98
Taraxacum officinale. *See* Dandelion.
Taylor, J. W., and Leighty, C. E.: Hairy-neck Wheat Segregates from Wheat-Rye Hybrids ... 567-576
Teeth, meadow mouse, description, measurements, and variations ... 1010-1013, 1015
Teliospores, *Puccinia disperse*, germination 1120-1122
Temperature—
effect on spread of bean disease ... 493-495
fluctuations in duff and bare soil, comparisons ... 1154-1156
relation to—
citrus scab infection and development ... 243-253
curly-top ... 313
leather rot of strawberries ... 369, 371, 372-373
onion bulb rot, occurrence and distribution ... 689-691
Temperatures—
fatal to powder-post beetle, in ash and oak lumber ... 1033-1038
greenhouse, in wheat growing experiments ... 389
high and low, resistance of rice and granary weevils ... 1043-1044
Teosinte, chromosome number ... 673-676, 678
Teosinte-and-corn hybrids, chromosome number ... 674-676
Tephrosia candida—
growth and blossoming, relation to length of day ... 445-460
photoperiodism ... 445-460
Tests, corn, canning quality ... 431-433
Texas, cottonseed, germination studies ... 285-292
Thersilochus conotracheli, parasite of cambium curculio ... 385
Thompson, H. E.: Brittle Straw and Other Abnormalities in Rye ... 169-172
Thumb-nail test of corn ... 435
Timber, woodland, indicator of land value ... 116, 120, 123-126
Tims, E. C., and Walker, J. C.: A Fusarium Bulb Rot of Onion and the Relation of Environment to Its Development ... 683-694
Tripsacum dactyloides, chromosome number ... 677-678
Tobacco—
grass, indicator of land value ... 105, 118, 124, 125
nitrate determination methods ... 531-533
Tom Thumb maize, crossing with Jala maize ... 1095-1102
Tomato, susceptibility to curly-top ... 314
Tomosis, cotton growth disorder ... 807-809
Tongues, composition ... 345
Toole, Eben S., and Drummond, Pearl L.: The Germination of Cottonseed ... 285-292
Tracheal system—
apple maggot ... 5-7
bee larva ... 1179-1184, 1206
Trees—
hosts of cambium curculio ... 379, 385
injury by cambium curculio ... 377-386
orange—
analysis of various parts, and ash percentage ... 282, 283
ash constituents ... 283
dry matter solubility, relation to concentration of solution ... 281-282
orchard, injury by European hares ... 1136-1137
painting wounds to prevent curculio injury ... 385
protection against hares ... 1137
reserved, in cut-over areas, silvicultural practices ... 1146-1147
Wasatch Mountains, freezing-point depressions and osmotic pressures ... 861-868, 876-877
young orange, growth and composition, relation to nutrient solution ... 277-284
Trichonema spp., parasites of the Equidae ... 670-671, 672
Triodontophorus spp., parasites of the Equidae ... 666, 667
Triticum—
dicoccum dicoccoides, genetic relation to a synthetic form ... 515-520
vulgare, cross with a variety of *Triticum durum* ... 515, 519
Trunk, young orange trees, composition ... 282, 283
Tubercles, plantar, on foot of meadow mouse, variation ... 983, 1014
Tuckwiller, David: Steer-fattening experiments ... 1215
Turkeys, flesh, vitamin B content ... 463, 468, 472
Turnips, injury by clubroot ... 551
Tussock grass, indicator of land value ... 106, 119, 125, 127
Twig, pecan, scab description and source of infection ... 324
Typhoid, fowl, dissemination and control ... 75-78
Ulsch-Street method of nitrate determination, comparisons ... 527, 533-538
Uncinaria stenocephala, occurrence in foxes ... 331
Upland cotton—
chlorid content of leaf tissue, comparison with Egyptian ... 695-704
susceptibility to crazy-top ... 824, 826
varieties, comparison with Pima cotton in Arizona ... 933-954
Weed, Star-of-Bethlehem, danger near barley fields ... 1125, 1126
Weevils—
bean—
effect of fumigation ... 348-349
egg, effect of fumigation ... 350-351
fumigation ... 347-356
resistance to high and low temperatures ... 1043-1044
within bean seeds, effect of fumigation ... 351-355
Weight, meadow mice, variations ... 988-989
West Virginia, steers, fattening ... 1217-1218
Western blight. *See* Curly-top.
Wetting, heat of soil colloids ... 927-935
Wheat—
cross, inheritance of pubescent nodes ... 841-844
crosses, literature relating to ... 572, 574, 575-576
emmer species, crosses with *vulgare* species ... 1018-1031
fertilizer experiments ... 972-975
genetics, literature ... 1031, 1032
germination, effect of modified hot-water treatment ... 80-89
groups, classification and characteristics ... 1017
growth—
and yield of modified hot-water treatment ... 89-95
relation to salts in nutrient solution ... 387-393
"hairy neck," segregates from wheat-rye hybrids ... 567-576
heating caused by insects ... 1103-1104, 1105, 1107-1109, 1113-1115

Page
Wheat—Continued.
hot-water treatment, modified, effect on germination, growth, and yield 79–98
hybrids—
sterility, causes 1017–1032
study, genetic and cytological 1017–1032
salt nutrition 387–393
seed coats, permeability to iodin 225–226
species hybrids, characters association .. 1025–1027
treatment literature 97
vulgare species, crosses with emmer species 1018–1031
yield, effects of modified hot-water treatment 90–95
Wheatgrass, indicator of land value 100, 102, 103, 117, 120, 124
Wheat-rye hybrids—
hairy neck segregates 567–576
self sterility 567–568, 573–575
Wilcox, Marguerite S.: *Botryosphaeria* and *Physalospora* on Currant and Apple 585–598
Willaman, J. J., and Davison, F. R.: Some Modifications of the Picric Acid Method for Sugars 479–488
Willow, indicator of land value 114, 118, 119, 123, 124, 125, 126
Wilt, bean, causes and spread 490–493
Windfall, losses caused to western yellow pine and Douglas fir 1143–1145
Winds, storm, spread of blister rust to pines .. 1253–1255, 1257
Wineland, Grace O.: An Ascigerous Stage and Synonomy for *Fusarium moniliforme* .. 909–922
Winter rations of steers, effects on pasture gains 1215–1232
Winter-fat, indicator of land value 110, 118, 120, 125, 126
Wisconsin, clubroot studies 549
Worms, control in foxes 334–337
Wounds, tree, infestation with cambium curculio 379–385
Wright, P. A., and Shaw, R. H.: A Study of Ensiling a Mixture of Sudan Grass With a Legume 255–259
Urea—
effect on numbers of bacteria in soil 1160, 1161, 1165, 1166
investigations and discussions 37–39
nitrification rates and decomposition in soil 43, 48–54
nitrogen, determination method 42
Urephos, fertilizer tests 973–975
Uromyces hordei, rust of wild barley and its aecial stage 1124
Utah, Wasatch Mountains, environmental conditions of trees, relation to density of cell sap 845–907
Vaccination—
cattle, to control infectious abortion 609–620
fowls, for control of typhoid 78
Vaccine, abortion, immunization of cattle .. 609–620
Van Volkenberg, H. L., and Hanson, Karl B.: Anthelmintic Efficiency of Carbon Tetrachlorid in the Treatment of Foxes 331–337

Page
Varnette, D. L.: Comparison of Pima Cotton with Upland Varieties in Arizona 937–964
Vegetation—
desert region, indicator significance 721–802
semiarid, in United States, types and significance 99–128
type, western United States, regions and key map 121–127
types—
agricultural possibilities 117–119
relation to character and productivity of the land 795–800
zones in mountainous regions of the West .. 845
Velvetnode wheat, heredity studies 841–844
Virus, curly-top, transmission methods and factors affecting 306–316
Viscera, edible, of meat-producing animals, chemical composition 339–346
Vitamin—
antineuritic, in poultry flesh and eggs 461–472
B, content of dried poultry flesh and eggs .. 462–472
Vliet, E. B.: Greenhouse Experiments with Atmospheric Nitrogen Fertilizers and Related Compounds 971–976
Vulgare wheat group, characters 1017
Wahlenberg, W. G.: Fall Sowing and Delayed Germination of Western White Pine Seed 1127–1131
Walker, J. C., and Tims, E. C.: A Fusarium Bulb Rot of Onion and the Relation of Environment to its Development 683–694
War gases, utilization as insecticides 399, 400
Warehouses, grain, fumigation experiments with chick-peas 650–659
Wasatch—
Mountain region, vegetation, temperature, precipitation, etc 851–860
Mountains, Utah, environmental conditions, relation to density of cell sap 845–907
Washington—
Experiment Station wheat hybrids, growing 1019
Hybrid 143, origin, and crosses with emmer 1019–1031
Wastes, dairy *Flavobacterium suaveolens*, a new species of aromatic bacillus 275–276
Water—
soak. *See* Rot, leather, strawberry.
supply, relation to sap density of leaves and roots 885–888
Weather, effect on citrus scab distribution and prevalence 250–252
Yolk, egg, weight and water content, relation to sex ratio 211–213
Yucca—
association with cactus on Southwestern desert soils 731–733, 797
indicator of land value 103, 114
Zebra—
nematode parasite, *Cylindropharynx ornata*, and others 661–672
parasites 666–672
Zinnia elegans roots infestation by *Paratylenchus nanus* 1064–1065